

Canon		VB-H41 (1080)	
Description		Full HD PTZ IP Security Camera	
Number of documented streams:	2	Documented Simultaneous Streams:	10 & 30

TSX

MJPEG

Supported:			
Resolution:	1920x1080	Camera Quality Setting:	Standard
Frames per second (fps):	15	Switching Time:	1~2
URL with user name and password:			
http://<username>:<password>@<IP Address>/-wvhttp-01-/GetOneShot?image_size=<resolution>			
URL without username and password			
http://<IP Address>/-wvhttp-01-/GetOneShot?image_size=<resolution>			
URL Example			
http://root:camera@172.30.158.20/-wvhttp-01-/GetOneShot?image_size=960x540			

H.264

Supported			
Resolution:	960x540	Max Bandwidth	2048bps
Frames per second (fps):	15	Switching Time	5~6
I-Frame Setting	1/S		
URL with user name password:			
rtsp://<username>:<password>@<IP Address>/stream/profile1=r			
URL without user name password:			
rtsp://<IP Address>/stream/profile1=r			
URL Multicast:			
N/A			
URL Example			
rtsp://root:camera@172.30.145.73/stream/profile1=r			

TPMC-V12/15, DGE-2. TPMC-8X-GA**MJPEG**

Supported:	Yes		
Resolution:	960x540	Camera Quality Setting:	N/A
Frames per second (fps):	15	Switching Time:	2-4 sec
URL with user name and password:			
http://<username>:<password>@<IP Address>:<Port>/-vvhttp-01-/video.cgi			
URL without username and password			
http://172.30.177.107:80/-vvhttp-01-/video.cgi			
URL Example			
http://root:camera@172.30.177.107:80/-vvhttp-01-/video.cgi			

H.264

Supported	Yes		
Resolution:	960x540	Max Bandwidth	
Frames per second (fps):	5	Switching Time	
I-Frame Setting	1 sec		
URL with user name password:			
rtsp://<username>:<password>@<IP Address>/stream/profile1=r			
URL without user name password:			
N/A			
URL Multicast:			
-			
URL Example			
rtsp://root:camera@172.30.177.107/stream/profile1=r			

TPMC-4SM**MJPEG**

Supported:	Slow switching		
Resolution:	320x480	Camera Quality Setting:	Fair
Frames per second (fps):	15	Switching Time:	6~7 seconds
URL with user name and password:			
http://<IP Address>/-vvhttp-01-/GetOneShot?user=<username>&pw=<password>&image_size=<resolution>			
URL without username and password			
http://<IP Address>/-vvhttp-01-/GetOneShot?image_size=<resolution>			
URL Example			
http://172.30.158.20/-vvhttp-01-/GetOneShot?user=root&pw=camera&image_size=320x240			

H.264

Supported	No		
Resolution:	480x270	Max Bandwidth	250Kbps
Frames per second (fps):	15	Switching Time	-
I-Frame Setting	1/S		
URL with user name password:			
rtsp://<username>:<password>@<IP Address>/stream/profile1=r			
URL without user name password:			
rtsp://<IP Address>/stream/profile1=r			
URL Multicast:			
N/A			
URL Example			
rtsp://root:camera@172.30.145.73/stream/profile1=r			

Crestron App**MJPEG**

Supported:	Yes		
Resolution:	960x540	Camera Quality Setting:	
Frames per second (fps):	5	Switching Time:	2-4 sec
URL with user name and password:			
http://<username>:<password>@<IP Address>:<Port>/-wvhttp-01-/video.cgi			
URL without username and password			
http://<IP Address>:<Port>/-wvhttp-01-/video.cgi			
URL Example			
http://root:camera@172.30.177.107:80/-wvhttp-01-/video.cgi			

H.264

Supported	No		
Resolution:	-	Max Bandwidth	
Frames per second (fps):		Switching Time	
I-Frame Setting			
URL with user name password:			
N/A			
URL without user name password:			
N/A			
URL Multicast:			
-			
URL Example			
-			