USB-OFFLINE

Offline Licensing USB Dongle

The Crestron® USB-OFFLINE USB dongle provides a means for validating licenses offline without requiring an XiO Cloud® service account. The USB-OFFLINE is ideal for Crestron installations that require offline licensing.

The following licenses support the USB-OFFLINE:

- VC-4-ROOM
- SW-VC4-BN-1000
- DM-NVX-SW-C310

To use offline licensing, first order your license and USB-OFFLINE dongle. Then, configure your installation for offline licensing, and complete the offline licensing form to receive an offline license key. This license key must be added to your installation via a provided utility while the USB-OFFLINE is connected. The installation will then apply the license as long as the USB-OFFLINE is connected. For more information, refer to the corresponding product manual.

Crestron Virtual Control

The USB-OFFLINE is compatible with the VC-4-PC-3 Dell® micro computer, VC-4-SERVER-25 Dell rack server, or a standalone VC-4 server.

NOTES:

- The VC-4 software must be upgraded to version 4.0000.00057 or later prior to using the USB-OFFLINE for offline licensing.
- Adding room or BACnet licenses requires resubmitting the offline licensing form to receive a new offline license key. Room licenses and BACnet licenses do not share an offline license key. For Crestron Virtual Control installations that require both license types, two unique offline license keys must be requested and applied. Crestron Virtual Control can be configured to run in either online or offline licensing mode. Existing licenses must be deleted from the Crestron Virtual Control installation before switching licensing modes.

DM NVX® Software

The USB-OFFLINE enables one computer to access the DM-NVX-SW-C310 software.

NOTES:

- If your installation involves multiple offline computers using DM-NVX-SW-C310, one USB-OFFLINE must be ordered for each.
- DM NVX software can be configured to run in either online or offline licensing mode. Existing licenses must be deleted from the software installation before switching licensing modes.

Specifications

Environmental

Temperature	-13 to 185°F (-25 to 85°C)
Humidity	0% to 95% RH (noncondensing)

Dimensions

Height	0.31 in. (8 mm)
Width	0.63 in. (16 mm)
Depth	1.61 in. (41 mm)

Weight

0.22 oz (6.24 g)

CRESTRON®

To search for product certificates, refer to support.crestron.com/app/certificates.

Model

USB-OFFLINE
Offline Licensing USB Dongle