CRESTRON

4-Series™ Control System for Crestron Home™ OS

Getting Started

Scan the QR code to view the Quick Start Guide.



www.crestron.com/docs/8415

For additional information on the Crestron® CPR-4, visit www.crestron.com/model/6512254.

Pair with Apple® HomeKit® Technology

The CP4-R can be paired with Apple® HomeKit® technology to enable communication between the Crestron Home™ OS system and Apple HomeKit devices and accessories.

To pair the CP4-R with an Apple HomeKit system, open the Apple Home app on an iOS® device, and then use the device camera to scan the QR code provided below.

NOTE: Be sure to scan the QR code with an iOS device that is associated with the homeowner's Apple ID, as the Crestron Home system is paired to the Apple ID associated with the chosen iOS device.

- For more information on pairing the device with an Apple HomeKit system, refer to https://support.apple.com/en-us/HT204893.
- For more information on integrating Crestron Home with Apple HomeKit devices, refer to the Crestron Home OS™ Product Manual at docs.crestron.com/en-us/8525/.



NOTE: The above QR code is unique to the device that shipped with this document.

Certification and Compliance

Regulatory Model: M201903003

Federal Communications Commission (FCC) Compliance Statement

This device complies with part 15 of the FCC Rules. Operation is subject to the following conditions:

(1) This device may not cause harmful interference and (2) this device must accept any interference received, including interference that may cause undesired operation.

CAUTION: Changes or modifications not expressly approved by the manufacturer responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- · Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Industry Canada (IC) Compliance Statement

CAN ICES-3 (B)/NMB-3(B)

As of the date of manufacture, the product has been tested and found to comply with specifications for CE marking.



This product is Listed to applicable UL® Standards and requirements tested by Underwriters Laboratories Inc.

Ce produit est homologué selon les normes et les exigences UL applicables par Underwriters Laboratories Inc.



Rack Mounting Safety Precautions

Elevated Operating Ambient Temperature: If installed in a closed or multi-unit rack assembly, the operating ambient temperature of the rack environment may be greater than room ambient temperature. Therefore, consideration should be given to installing the equipment in an environment compatible with the maximum ambient temperature (Tma) specified by the manufacturer.

Reduced Airflow: Installation of the equipment in a rack should be such that the amount of airflow required for safe operation of the equipment is not compromised.

Mechanical Loading: Mounting of the equipment in the rack should be such that a hazardous condition is not achieved due to uneven mechanical loading.

Circuit Overloading: Consideration should be given to the connection of the equipment to the supply circuit and the effect that overloading of the circuits might have on overcurrent protection and supply wiring. Appropriate consideration of equipment nameplate ratings should be used when addressing this concern.

Reliable Earthing: Reliable earthing of rack-mounted equipment should be maintained. Particular attention should be given to supply connections other than direct connections to the branch circuit (e.g., use of power strips).

Legal

The product warranty can be found at www.crestron.com/warranty.

The specific patents that cover Crestron products are listed at www.crestron.com/legal/patents.

Certain Crestron products contain open source software. for specific information, visit www.crestron.com/opensource.

Crestron, the Crestron logo, 4-Series, and Crestron Home are either trademarks or registered trademarks of Crestron Electronics, Inc., in the United States and/or other countries. Apple and HomeKit are either trademarks or registered trademarks of Apple, Inc. in the United States and/or other countries. iOS is either a trademark or a registered trademark of Cisco Systems, Inc. in the United States and/or other countries. UL and the UL logo are either trademarks or registered trademarks of Underwriters Laboratories, Inc. in the United States and/or other countries. Other trademarks, registered trademarks, and trade names may be used in this document to refer to either the entities claiming the marks and names or their products. Crestron disclaims any proprietary interest in the marks and names of others. Crestron is not responsible for errors in typography or photography.

©2021 Crestron Electronics, Inc.

