

ACTi Corp		TCM-3511	
Description		Dome Camera	
Number of documented streams:	2	Documented Simultaneous Streams:	Not documented

TSX

MJPEG

Supported:	Yes		
Resolution:	640x480	Camera Quality Setting:	40
Frames per second (fps):	13	Switching Time:	1 ~ 2 seconds.
URL with user name and password: http://<username>:<password>@<IP Address>:<port>/cgi-bin/encoder?GET_STREAM			
URL without username and password -			
URL Example -			

H.264

Supported	Yes		
Resolution:	1280x720	Max Bandwidth	1 Mb/s
Frames per second (fps):	13	Switching Time	2 ~ 3 seconds.
I-Frame Setting	N/A		
URL with user name password: rtsp://<username>:<password>@<IP address>:<port>			
URL without user name password: -			
URL Multicast: rtsp://<IP address>/multicast/track1 (Turn off authentication and 2nd stream)			
URL Example -			

TPMC-V12/15, DGE-2. TPMC-8X-GA**MJPEG**

Supported:	Yes		
Resolution:	1280x720	Camera Quality Setting:	Good
Frames per second (fps):	13	Switching Time:	1-2 secs
URL with user name and password:			
http://<username>:<password>@<IP address>:<port>/cgi-bin/encoder?GET_STREAM			
URL without username and password			
http://<IP address>:<port>/cgi-bin/system?=<>&1=n&get_stream			
URL Example			
http://172.30.176.129:80/cgi-bin/encoder?GET_STREAM			

H.264

Supported	Yes		
Resolution:	1280x720	Max Bandwidth	Constant Bit Rate
Frames per second (fps):	13	Switching Time	1-4 secs
I-Frame Setting	n/a		
URL with user name password:			
rtsp://[<username>:<password>@]<IP address>:<port>/			
URL without user name password:			
-			
URL Multicast:			
-			
URL Example			
-			

TPMC-4SM**MJPEG**

Supported:	Yes		
Resolution:	640x480	Camera Quality Setting:	50
Frames per second (fps):	13	Switching Time:	3 ~ 7 seconds.
URL with user name and password:			
http://<username>:<password>@<IP Address>:<port>/cgi-bin/encoder?GET_STREAM			
URL without username and password			
-			
URL Example			
-			

H.264

Supported	Yes - MPEG4 Only		
Resolution:	320x240	Max Bandwidth	128Kbps
Frames per second (fps):	15	Switching Time	10+ seconds.
I-Frame Setting	N/A		
URL with user name password:			
rtsp://<username>:<password>@<IP address>:<port>			
URL without user name password:			
-			
URL Multicast:			
-			
URL Example			
-			

Crestron App**MJPEG**

Supported:	No		
Resolution:	1280x720	Camera Quality Setting:	Good
Frames per second (fps):		Switching Time:	
URL with user name and password:			
http://<username>:<password>@<Ip Address>:<Port>/cgi-bin/encoder?GET_STREAM			
URL without username and password			
-			
URL Example			
-			

H.264

Supported	No		
Resolution:	-	Max Bandwidth	
Frames per second (fps):		Switching Time	
I-Frame Setting			
URL with user name password:			
-			
URL without user name password:			
-			
URL Multicast:			
-			
URL Example			
-			